

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	877	370/536	US-PGPUB; USPAT	OR	ON	2008/09/24 20:31
L2	150021	"370"/\$	US-PGPUB; USPAT	OR	OFF	2008/09/24 20:31
L3	1339	(buffers) adj3 between adj5 (nodes or module or component)	US-PGPUB; USPAT	OR	ON	2008/09/24 20:31
L4	143	L2 and L3	US-PGPUB; USPAT	OR	ON	2008/09/24 20:31
L5	2	L1 and L4	US-PGPUB; USPAT	OR	ON	2008/09/24 20:31
S1	937	455/552.1	US-PGPUB; USPAT	OR	ON	2007/12/13 15:43
S2	443	455/553.1	US-PGPUB; USPAT	OR	ON	2006/03/17 18:28
S3	22328	(dual adj mode) or (dual-mode) or (multi adj mode) or (multi-mode)	US-PGPUB; USPAT	OR	ON	2006/03/17 19:29
S4	1116	S1 or S2	US-PGPUB; USPAT	OR	ON	2006/03/17 18:40
S5	216	S4 and S3	US-PGPUB; USPAT	OR	ON	2007/06/11 08:44
S6	125	S5 and (processor or cpu)	US-PGPUB; USPAT	OR	ON	2006/03/17 18:59
S7	216	(wcdma and GSM and GPRS and "802.11")	US-PGPUB; USPAT	OR	ON	2006/03/17 19:00
S8	3	S6 and S7	US-PGPUB; USPAT	OR	ON	2006/03/17 19:01
S9	39104	(wcdma or GSM or GPRS)	US-PGPUB; USPAT	OR	ON	2006/03/17 19:01
S10	91	S6 and S9	US-PGPUB; USPAT	OR	ON	2006/03/17 19:27
S11	13558	(dual adj processor) or (dual-processor) or (multi adj processor) or (multi-processor)	US-PGPUB; USPAT	OR	ON	2006/03/17 19:28
S12	297	((dual adj mode) or (dual-mode) or (multi adj mode) or (multi-mode)) and ((dual adj processor) or (multi adj processor) or (dual-processor) or (multi-processor))	US-PGPUB; USPAT	OR	ON	2006/03/17 19:30
S13	32	S12 and S9	US-PGPUB; USPAT	OR	ON	2006/03/17 19:44
S14	7366	(triple or three) near2 (processor or cpu)	US-PGPUB; USPAT	OR	ON	2006/03/17 19:45
S15	95	((triple or three) near2 (processor or cpu)) and ((multi-mode or dual-mode) or (dual adj mode) or (multi adj mode))	US-PGPUB; USPAT	OR	ON	2006/03/17 19:54

EAST Search History

S16	10	((triple or three) near2 (processor or cpu) and (wcdma and gsm)	US-PGPUB; USPAT	OR	ON	2006/03/17 20:03
S17	38	(bearer adj specific) or (bearer-specific)	US-PGPUB; USPAT	OR	OFF	2006/03/17 22:35
S18	4921	370/466	US-PGPUB; USPAT	OR	ON	2006/12/16 17:48
S19	1852	370/467	US-PGPUB; USPAT	OR	ON	2006/12/01 23:19
S20	1295	S19 and S18	US-PGPUB; USPAT	OR	ON	2006/12/01 23:19
S21	5478	S19 or S18	US-PGPUB; USPAT	OR	ON	2006/12/01 23:20
S22	49309	gateway and protocol	US-PGPUB; USPAT	OR	ON	2006/12/01 23:20
S23	1767	S21 and S22	US-PGPUB; USPAT	OR	ON	2006/12/01 23:23
S24	25174	(dual adj mode) or (dual-mode) or (multi adj mode) or (multi-mode)	US-PGPUB; USPAT	OR	ON	2006/12/01 23:23
S25	67	S24 and S23	US-PGPUB; USPAT	OR	ON	2006/12/01 23:36
S26	1584	stack adj operations	US-PGPUB; USPAT	OR	ON	2006/12/01 23:38
S27	73	S26 and S24	US-PGPUB; USPAT	OR	ON	2006/12/01 23:38
S28	0	S26 and S24 and S25	US-PGPUB; USPAT	OR	ON	2006/12/01 23:38
S29	1855	370/467	US-PGPUB; USPAT	OR	ON	2006/12/16 17:48
S30	4944	370/466	US-PGPUB; USPAT	OR	ON	2006/12/16 17:48
S31	5501	S29 or S30	US-PGPUB; USPAT	OR	ON	2006/12/16 17:48
S32	1830	S31 and gateway	US-PGPUB; USPAT	OR	ON	2006/12/16 17:49
S33	71226	((dual or multi) near2 (phone or telephone or device or processor or cpu)) or ((dual-mode or multi-mode) near2 (phone or telephone or device or processor))	US-PGPUB; USPAT	OR	ON	2006/12/16 18:09
S34	5363	(protocol near2 stack) near10 layer	US-PGPUB; USPAT	OR	ON	2006/12/16 17:52
S35	455	S31 and S34	US-PGPUB; USPAT	OR	ON	2006/12/16 17:52
S36	226	S31 and S34 and S32	US-PGPUB; USPAT	OR	ON	2006/12/16 17:52
S37	23	S31 and S34 and S32 and S33	US-PGPUB; USPAT	OR	ON	2006/12/16 17:52

EAST Search History

S38	103489	((dual or multi) near2 (system or architecture or network))	US-PGPUB; USPAT	OR	ON	2006/12/16 18:10
S39	42	S38 and S36	US-PGPUB; USPAT	OR	ON	2006/12/16 18:10
S40	27227	(dual adj mode) or (dual-mode) or (multi adj mode) or (multi-mode)	US-PGPUB; USPAT	OR	ON	2007/06/11 08:44
S41	1943	370/467	US-PGPUB; USPAT	OR	ON	2007/06/11 08:44
S42	71	S40 and S41	US-PGPUB; USPAT	OR	ON	2007/06/11 08:45
S43	1719	455/552.1	US-PGPUB; USPAT	OR	ON	2007/06/11 08:45
S44	881	455/553.1	US-PGPUB; USPAT	OR	ON	2007/06/11 08:45
S45	121	S40 and S43 and S44	US-PGPUB; USPAT	OR	ON	2007/06/11 08:45
S46	950	(wireless) same (protocol near architecture)	US-PGPUB; USPAT	OR	ON	2007/12/13 15:44
S47	35	(wireless) near (protocol near architecture)	US-PGPUB; USPAT	OR	ON	2007/12/13 15:53
S48	6	((wireless) near5 (protocol near stack)) same (dual or multi or multiple) near (mode or phone or telephone)	US-PGPUB; USPAT	OR	ON	2007/12/13 15:57
S49	4	((wireless) near5 (protocol near stack)) near8 (handoff or handover or (hand adj off) or (hand adj over))	US-PGPUB; USPAT	OR	ON	2007/12/13 15:58
S50	4	((wireless) near5 (protocol near5 stack)) near8 (handoff or handover or (hand adj off) or (hand adj over))	US-PGPUB; USPAT	OR	ON	2007/12/13 15:59
S51	5	((wireless) near5 (protocol near5 stack)) near8 (cdma near10 (gsm or tdma))	US-PGPUB; USPAT	OR	ON	2007/12/13 16:03
S52	0	((wap) near5 (protocol near5 stack)) near8 ((dual or multi or multiple) near (phone or telephone or device or terminal or network))	US-PGPUB; USPAT	OR	ON	2007/12/13 16:09
S53	306	((wap) near5 (protocol near5 stack))	US-PGPUB; USPAT	OR	ON	2007/12/13 16:10
S54	14	((wap) near5 (protocol near5 stack)) and (handoff or handover)	US-PGPUB; USPAT	OR	ON	2007/12/13 16:10
S55	0	((wap) near5 (protocol near5 stack)) same (handoff or handover)	US-PGPUB; USPAT	OR	ON	2007/12/13 17:11
S56	2	"20020141441"	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:03
S57	19409	(dual adj processor) or (dual-processor) or (multi adj processor) or (multi-processor)	US-PGPUB; USPAT	OR	ON	2007/12/13 22:03

EAST Search History

S58	399	((dual adj mode) or (dual-mode) or (multi adj mode) or (multi-mode)) and ((dual adj processor) or (multi adj processor) or (dual-processor) or (multi-processor))	US-PGPUB; USPAT	OR	ON	2007/12/13 22:03
S59	399	S57 and S58	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:04
S60	19409	S57 or S58	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:04
S61	33	S59 and (handoff or handover or (hand near (off or over)))	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:09
S62	70	GSM near5 (handoff or handover or (hand near (off or over))) near5 CDMA	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:10
S63	358	(tdma or GSM) near5 (handoff or handover or (hand near (off or over))) near5 (CDMA or tdma or UMTS)	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:11
S64	123	(tdma or GSM) near8 (handoff or handover or (hand near (off or over))) near8 (between or from) near6 (CDMA or tdma or UMTS)	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:11
S65	29979	(dual adj mode) or (two near (processor or cpu))	US-PGPUB; USPAT	OR	ON	2008/03/03 06:50
S66	132490	"455"/\$	US-PGPUB; USPAT	OR	ON	2008/03/03 06:50
S67	5165	S65 and S66	US-PGPUB; USPAT	OR	ON	2008/03/03 06:50
S68	4544	S65 and S66 and (cell or portable or wireless)	US-PGPUB; USPAT	OR	ON	2008/03/03 06:51
S69	4907	455/522	US-PGPUB; USPAT	OR	ON	2008/03/03 06:52
S70	348	S68 and S69	US-PGPUB; USPAT	OR	ON	2008/03/03 06:52
S71	1460	(first near (processor or cpu)) same (second near (processor or cpu)) same ((third or primary) near (processor or cpu))	US-PGPUB; USPAT	OR	ON	2008/03/03 13:43
S72	138109	"370"/\$	US-PGPUB; USPAT	OR	ON	2008/03/03 13:44
S73	132490	"455"/\$	US-PGPUB; USPAT	OR	ON	2008/03/03 13:44
S74	226	S71 and S72	US-PGPUB; USPAT	OR	ON	2008/03/03 13:45
S75	93	S71 and S73	US-PGPUB; USPAT	OR	ON	2008/03/03 13:45
S76	187	S74 not S75	US-PGPUB; USPAT	OR	ON	2008/03/03 13:45
S77	26	S71 and S73 and (dual)	US-PGPUB; USPAT	OR	ON	2008/03/03 13:45

EAST Search History

S78	12008	(first near (processor or cpu)) same (second near (processor or cpu))	US-PGPUB; USPAT	OR	ON	2008/03/03 13:46
S79	211	S78 and S73 and dual	US-PGPUB; USPAT	OR	ON	2008/03/03 13:47
S80	187	S76 not S79	US-PGPUB; USPAT	OR	ON	2008/03/03 13:47
S81	46	S78 and S73 and (dual near mode)	US-PGPUB; USPAT	OR	ON	2008/03/03 13:47
S82	2707	(dual near mode).ab.ti.	US-PGPUB; USPAT	OR	ON	2008/03/03 13:49
S83	0	S80 and S82	US-PGPUB; USPAT	OR	ON	2008/03/03 13:49
S84	3278	((multi or multiple) near mode).ab.ti.	US-PGPUB; USPAT	OR	ON	2008/03/03 13:50
S85	0	S80 and S84	US-PGPUB; USPAT	OR	ON	2008/03/03 13:50
S86	2	S71 and S84	US-PGPUB; USPAT	OR	ON	2008/03/03 13:51
S87	1370	(multi near processor).ab.ti.	US-PGPUB; USPAT	OR	ON	2008/03/03 13:53
S88	210	S72 and S87	US-PGPUB; USPAT	OR	ON	2008/03/03 13:53
S89	757	(multi near processor).ti.	US-PGPUB; USPAT	OR	ON	2008/03/03 13:54
S90	112	S72 and S89	US-PGPUB; USPAT	OR	ON	2008/03/03 13:55
S91	1	"20040176059"	US-PGPUB; USPAT	OR	ON	2008/09/24 12:06
S92	14	"6594242"	US-PGPUB; USPAT	OR	OFF	2008/09/24 14:44
S93	34	3G near5 (soft near (handoff or handover))	US-PGPUB; USPAT	OR	OFF	2008/09/24 14:47
S94	6704	(buffer same (dataflow or (data adj flow)))	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:40
S95	2463	(buffer near10 (dataflow or (data adj flow)))	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:41
S96	83	(buffer near10 (dataflow or (data adj flow))) near15 (component or module)	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:43
S97	12	(buffer adj8 (control\$5 or monitor\$4) adj5 (dataflow or (data adj flow))) near15 (component or module)	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:51
S98	317	(buffer adj8 (control\$5 or monitor\$4) adj5 (congestion or dataflow or (data adj flow)))	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:52
S99	214	(buffer adj4 (control\$5 or monitor\$4) adj5 (congestion or dataflow or (data adj flow)))	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:53

EAST Search History

S10 0	143950	"455"/\$	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:53
S10 1	12	S100 and S99	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:53
S10 2	150021	"370"/\$	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:53
S10 3	117	S102 and S99	US-PGPUB; USPAT	OR	OFF	2008/09/24 17:54
S10 4	1339	(buffers) adj3 between adj5 (nodes or module or component)	US-PGPUB; USPAT	OR	ON	2008/09/24 18:07
S10 5	143	S102 and S104	US-PGPUB; USPAT	OR	ON	2008/09/24 18:08